

ENVIRONMENT PROTECTION LICENCE 20350 MONITORING DATA

Licence Holder:	Santos NSW (Eastern) Pty Ltd
Premises:	Narrabri Gas Field X-Line Road, Narrabri NSW 2390
Licence No:	20350
EPL LINK:	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33816&SYSUID=1&LICID=20350
EPL Period:	May 1st 2019 to April 30th 2020
Reporting Period:	Quarter 4 - February - April 2020
Published Date:	May-20
Monitoring Location:	Refer to Table 1
Scheduled Activity:	Coal seam gas exploration, assessment and production
General Notes:	Monitoring Point 14 - only standing water level result was able to be obtained due to obstruction. Actions being conducted to rectify obstruction. Monitoring Point 80, 81 & 82 - no sample required in accordance with EPL20350 Condition M2.7 Monitoring Point 77 - no sample required in accordance with EPL20350 Condition M2.7 Monitoring Point 69 & 70 - no required taken in accordance with EPL20350 Condition M2.6 Monitoring Point 83, 84, 85 & 86 - no sample required in accordance with EPL20350 Condition M2.7

Table 1: EPL20350 Water Monitoring Locations

EPA Identification No.	Monitoring type	Location	Easting	Northing
7	Groundwater quality monitoring	BWD27PRUPS02	755433.048	6604684.807
8	Groundwater quality monitoring	BWD27PRLPS03	755436.361	6604699.035
9	Groundwater quality monitoring	BWD26PRUPS01	749372.75	6609376.69
10	Groundwater quality monitoring	BWD26PRLPS02	749364.45	6609363.35
11	Groundwater quality monitoring	DWH14PRUPS01	764703.313	6617145.443
12	Groundwater quality monitoring	DWH14PRLPS02	764689.147	6617119.109
13	Groundwater quality monitoring	DWH14PRPUR03	764696.211	6617132.298
14	Groundwater quality monitoring	DWH3PRUPS01	762239.68	6605589.32
15	Groundwater quality monitoring	DWH3PRLPS02	762251.05	6605598.98
16	Groundwater quality monitoring	NYOPRORA01	736293.46	6643110.4
17	Groundwater quality monitoring	NYOPRUPS02	736308.8	6643107.84
18	Groundwater quality monitoring	BWD27PRORA01	755429.176	6604670.682
20	Groundwater quality monitoring	BHN14PRORA01	747158.13	6626109.12
21	Groundwater quality monitoring	BHN14PRUPS02	747152.71	6626123.91
22	Groundwater quality monitoring	TULPRNAP01	774464.07	6612048.13
23	Groundwater quality monitoring	TULPRDGY02	774466.48	6612032.98
24	Groundwater quality monitoring	BWDMW13D	753863.3	6608108.51
25	Groundwater quality monitoring	BWDMW13S	753864.82	6608109.3
26	Groundwater quality monitoring	BWDMW12S	753830.65	6608202.74
27	Groundwater quality monitoring	BWDMW12D	753831.91	6608203.71
28	Groundwater quality monitoring	BWDMW12I	753832.68	6608202.25
29	Groundwater quality monitoring	BWDMW2	753912.83	6608241.35
30	Groundwater quality monitoring	BWDMW3	753935.87	6608254.02
31	Groundwater quality monitoring	BWDMW4D	753980.81	6608285.74
32	Groundwater quality monitoring	BWDMW4	753984.14	6608288.04
33	Groundwater quality monitoring	BWDMW15S	753868.09	6608258.34
34	Groundwater quality monitoring	BWDMW15D	753867.1	6608256.75
35	Groundwater quality monitoring	BWDMW16S	753858.95	6608316.49
36	Groundwater quality monitoring	BWDMW16D	753856.98	6608315.57
37	Groundwater quality monitoring	LWDMW1D	751387.93	6623862.96
38	Groundwater quality monitoring	LWDMW1S	751388.92	6623862.46
39	Groundwater quality monitoring	LWDMW1I	751390.64	6623861.85
40	Groundwater quality monitoring	LWDMW2S	751102.84	6622293.02
41	Groundwater quality monitoring	LWDMW2D	751101.81	6622293.15
42	Groundwater quality monitoring	LWDMW3D	751876.16	6622163.76
43	Groundwater quality monitoring	LWDMW3S	751876.47	6622164.93
44	Groundwater level monitoring	DWH8AGMB1	765546.74	6616987.99
45	Groundwater level monitoring	DWH8AGMB2	765546.74	6616987.99
46	Groundwater level monitoring	DWH8AGMB3	765546.74	6616987.99

EPA Identification No.	Monitoring type	Location	Easting	Northing
47	Groundwater level monitoring	BWD28QGUPS01	752949.898	6604219.732
48	Groundwater level monitoring	BWD28QGLPS01	752949.898	6604219.732
49	Groundwater level monitoring	BWD28QGPUR01	752949.898	6604219.732
50	Groundwater quality monitoring	WPKMW01	755684.14	6638105.31
51	Groundwater quality monitoring	WPKMW01D	755689.75	6638097.35
52	Groundwater quality monitoring	WPKMW02	755671.2	6638034.29
53	Groundwater quality monitoring	WPKMW04	755632.5	6637993.07
55	Groundwater quality monitoring	WPKMW08	755634.11	6638166.87
56	Groundwater quality monitoring	WPKMW09D	755663.98	6637988.2
57	Groundwater quality monitoring	WPKMW09S	755664.4	6637990.54
58	Groundwater quality monitoring	WPKMW12S	755456.18	6638228.91
59	Groundwater quality monitoring	WPKMW13I	755552.65	6638189.56
60	Groundwater quality monitoring	WPKMW13S	755554.88	6638189.05
61	Groundwater quality monitoring	WPKMW14D	755364.51	6638049.06
62	Groundwater quality monitoring	WPKMW14S	755364.77	6638048.26
63	Groundwater quality monitoring	WPKMW15D	755365.48	6638233.36
64	Groundwater quality monitoring	WPKMW15S	755365.5	6638230.74
65	Groundwater quality monitoring	WPKMW16D	755051.03	6637988.5
66	Groundwater quality monitoring	WPKMW16S	755050.53	6637986.64
67	Groundwater quality monitoring	WPKMW17D	756151.06	6638128.32
68	Groundwater quality monitoring	WPKMW17S	756149.54	6638128.05
69	Produced water storage dam	BWDPD2	753875.87	6607995.06
70	Produced water storage dam	BWDPD3	753992.17	6608125.97
71	Produced water storage dam	LWDPD1CELL4	751473.349	6623513.252
72	Produced water storage dam	LWDPD1CELL3	751460.723	6623323.85
73	Produced water storage dam	LWDPD1CELL2	751428.103	6623124.978
74	Produced water storage dam	LWDPD1CELL1	751390.223	6622935.575
75	Produced water storage dam	TFDPD1	755611.6	6638072.85
76	Produced water storage dam	TFDPD2	755480.11	6638099.04
77	Treated water quality monitoring	LWWTPDM1	751648.02	6622508.31
78	Groundwater quality monitoring	WPKMW18S	755944.01	6638100.84
79	Groundwater quality monitoring	WPKMW18I	755945.07	6638105.04
80	Groundwater quality monitoring	LWDMW4	752080.54	6623038.94
81	Groundwater quality monitoring	LWDMW5	752491.08	6623301.16
82	Groundwater quality monitoring	LWDMW6	752667.55	6623165.03
83	Soil quality monitoring	LWDSMP1	751942.34	6622941.21
84	Soil quality monitoring	LWDSMP2	752164.06	6623143.83
85	Soil quality monitoring	LWDSMP3	752572.6	6623126.32
86	Soil quality monitoring	LWDSMP4	752457.14	6622764.26

Spatial Reference: GDA94 MGA Zone 55

TABLE 2: GROUNDWATER QUALITY MONITORING

		EPA Identification No	7	8	9	10	11	12	13	14
		Location	BWD27PRLPS02	BWD27PRLPS03	BWD26PRLPS01	BWD26PRLPS02	DWH14PRLPS01	DWH14PRLPS02	DWH14PRLPS03	DWH3PRLPS01
		Date	8/04/2020	8/04/2020	8/04/2020	8/04/2020	7/04/2020	7/04/2020	7/04/2020	8/04/2020
		Sample Method	in situ	in situ	in situ	in situ	in situ	in situ	No sample - obstruction	in situ
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Dissolved Oxygen	mg/L	-	4.5	0.3	1	0.9	0.8	1.4		2.43
Electrical Conductivity	µS/cm	-	149	235	81	145	237	196		129
pH	pH Unit	-	4.62	5.36	4.86	5.32	5.16	4.81		4.91
Redox Potential	mV	-	238	20	160	61	194	164		231
Standing Water Level	mTOC	-	38.92	38.42	29.7	29.11	53.38	54.11	53.48	67.47

		EPA Identification No	15	16	17	18	20	21	22	23
		Location	DWH3PRLPS02	NYOPRORA01	NYOPRUPS02	BWD27PRORA01	BHN14PRORA01	BHN14PRLPS02	TULPRNAP01	TULPRDGY02
		Date	8/04/2020	6/04/2020	6/04/2020	8/04/2020	7/04/2020	7/04/2020	6/04/2020	6/04/2020
		Sample Method	in situ	in situ	in situ	No sample - dry	in situ	in situ	in situ	in situ
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Dissolved Oxygen	mg/L	-	1.24	0.52	0.93		0.85	0.6	1.1	1.1
Electrical Conductivity	µS/cm	-	142	1381	1339		514	498	7770	8928
pH	pH Unit	-	5.11	7.7	7.9		6.91	6.79	6.59	6.6
Redox Potential	mV	-	225	-182	-28		-73	-102	-120	-140
Standing Water Level	mTOC	-	67.66	0	0		26.42	15.32	88.92	74.02

		EPA Identification No	24	25	26	27	28	29	30	31
		Location	BWDMW13D	BWDMW13S	BWDMW12S	BWDMW12D	BWDMW12I	BWDMW2	BWDMW3	BWDMW4D
		Date	25/03/2020	25/03/2020	25/03/2020	25/03/2020	25/03/2020	25/03/2020	25/03/2020	25/03/2020
		Sample Method	Grab Sample	No sample - dry	No sample - dry	Grab Sample	Grab Sample	No sample - dry	Grab Sample	Grab Sample
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01	< 0.01			0.01	< 0.01		0.04	0.02
Ammonia	mg/L	0.01	< 0.01			0.02	< 0.01		0.09	0.02
Arsenic	mg/L	0.001	< 0.001			< 0.001	< 0.001		< 0.001	< 0.001
Barium	mg/L	0.001	0.398			1.63	7.2		0.131	0.05
Beryllium	mg/L	0.001	< 0.001			< 0.001	< 0.001		< 0.001	< 0.001
Bicarbonate	mg/L	1	57			2170	4920		108	46
Boron	mg/L	0.05	< 0.05			< 0.05	< 0.05		< 0.05	< 0.05
Bromide	mg/L	0.01	0.871			3.52	6.7		0.737	0.109
Cadmium	mg/L	0.0001	0.0001			< 0.0001	< 0.0001		< 0.0001	< 0.0001
Calcium	mg/L	1	3			15	3		5	< 1
Carbonate	mg/L	1	< 1			< 1	< 1		< 1	< 1
Chloride	mg/L	1	332			971	1870		232	37
Chromium	mg/L	0.001	< 0.001			< 0.001	0.002		< 0.001	< 0.001
Cobalt	mg/L	0.001	0.015			0.001	0.006		0.008	0.001
Copper	mg/L	0.001	< 0.001			< 0.001	< 0.001		< 0.001	< 0.001
Dissolved Oxygen	mg/L	-	1.19			2.85	3.64		1.1	2.1
Electrical Conductivity	µS/cm	-	1290			6870	13466		1115	271
Fluoride	mg/L	0.1	< 0.1			0.8	1.2		< 0.1	< 0.1
Iron	mg/L	0.05	< 0.05			0.13	< 0.05		2.94	0.33
Lead	mg/L	0.001	< 0.001			< 0.001	< 0.001		< 0.001	< 0.001
Magnesium	mg/L	1	29			230	483		15	2
Manganese	mg/L	0.001	0.07			0.013	0.007		0.296	0.04
Mercury	mg/L	0.0001	< 0.0001			< 0.0001	< 0.0001		< 0.0001	< 0.0001
Methane	mg/L	0.01	< 0.01			< 0.01	< 0.01		0.013	< 0.01
Molybdenum	mg/L	0.001	< 0.001			< 0.001	0.003		< 0.001	< 0.001
Nickel	mg/L	0.001	0.01			0.003	0.002		0.011	0.002
Nitrate	mg/L	0.01	0.08			0.15	0.27		0.01	0.18
Nitrite	mg/L	0.01	< 0.01			0.01	0.06		0.02	< 0.01
pH	pH Unit	-	5.28			7.18	7		6.44	6
Potassium	mg/L	1	18			40	47		14	7
Reactive Phosphorus	mg/L	0.01	< 0.01			< 0.01	0.43		< 0.01	< 0.01
Redox Potential	mV	-	202			44	125		62	97
Selenium	mg/L	0.01	< 0.01			0.01	< 0.01		< 0.01	< 0.01
Sodium	mg/L	1	126			1360	2600		129	40
Standing Water Level	mTOC	-	30.71			31.03	21.45		30.97	30.35
Strontium	mg/L	0.001	0.087			0.742	0.221		0.084	0.016
Sulfate	mg/L	1	34			104	5		74	18
Total Dissolved Solids	mg/L	10	964			4210	9040		928	307
Uranium	mg/L	0.001	< 0.001			0.015	0.096		< 0.001	< 0.001
Vanadium	mg/L	0.01	< 0.01			< 0.01	0.01		< 0.01	< 0.01
Zinc	mg/L	0.005	2.96			< 0.005	< 0.005		0.017	0.005

		EPA Identification No	32	33	34	35	36	37	38	39
		Location	BWDMW4	BWDMW15S	BWDMW15D	BWDMW16S	BWDMW16D	LWDMW1D	LWDMW1S	LWDMW1I
		Date	25/03/2020	25/03/2020	25/03/2020	25/03/2020	25/03/2020	18/03/2020	18/03/2020	18/03/2020
		Sample Method	No sample - dry	No sample - dry	Grab Sample	No sample - dry	Grab Sample	Grab Sample	No sample - dry	No sample - dry
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01			0.01		0.01	< 0.01		
Ammonia	mg/L	0.01			< 0.01		< 0.01	0.01		
Arsenic	mg/L	0.001			< 0.001		< 0.001	< 0.001		
Barium	mg/L	0.001			0.045		0.071	0.426		
Beryllium	mg/L	0.001			< 0.001		< 0.001	< 0.001		
Bicarbonate	mg/L	1			14		6	199		
Boron	mg/L	0.05			< 0.05		< 0.05	0.16		
Bromide	mg/L	0.01			0.196		0.201	1.11		
Cadmium	mg/L	0.0001			< 0.0001		< 0.0001	< 0.0001		
Calcium	mg/L	1			1		< 1	8		
Carbonate	mg/L	1			< 1		< 1	< 1		
Chloride	mg/L	1			88		90	667		
Chromium	mg/L	0.001			0.001		< 0.001	< 0.001		
Cobalt	mg/L	0.001			< 0.001		< 0.001	< 0.001		
Copper	mg/L	0.001			< 0.001		0.001	< 0.001		
Dissolved Oxygen	mg/L	-			2.34		5.33	0.76		
Electrical Conductivity	µS/cm	-			447		365	2382		
Fluoride	mg/L	0.1			< 0.1		< 0.1	0.4		
Iron	mg/L	0.05			0.08		< 0.05	< 0.05		
Lead	mg/L	0.001			< 0.001		< 0.001	< 0.001		
Magnesium	mg/L	1			3		2	13		
Manganese	mg/L	0.001			0.005		0.008	< 0.001		
Mercury	mg/L	0.0001			< 0.0001		< 0.0001	< 0.0001		
Methane	mg/L	0.01			< 0.01		< 0.01	< 0.01		
Molybdenum	mg/L	0.001			< 0.001		< 0.001	< 0.001		
Nickel	mg/L	0.001			0.002		0.002	< 0.001		
Nitrate	mg/L	0.01			0.36		0.2	0.06		
Nitrite	mg/L	0.01			< 0.01		< 0.01	< 0.01		
pH	pH Unit	-			8.14		7.79	6.5		
Potassium	mg/L	1			7		7	13		
Reactive Phosphorus	mg/L	0.01			< 0.01		0.01	0.07		
Redox Potential	mV	-			17		115	158		
Selenium	mg/L	0.01			< 0.01		< 0.01	< 0.01		
Sodium	mg/L	1			56		52	429		
Standing Water Level	mTOC	-			30.44		30.26	30.04		
Strontium	mg/L	0.001			0.01		0.007	0.127		
Sulfate	mg/L	1			30		1	23		
Total Dissolved Solids	mg/L	10			286		265	1260		
Uranium	mg/L	0.001			< 0.001		< 0.001	< 0.001		
Vanadium	mg/L	0.01			< 0.01		< 0.01	< 0.01		
Zinc	mg/L	0.005			0.01		0.013	< 0.005		

		EPA Identification No	40	41	42	43	50	51	52	53
		Location	LWDMW2S	LWDMW2D	LWDMW3D	LWDMW3S	WPKMW1	WPKMW1D	WPKMW2	WPKMW4
		Date	18/03/2020	18/03/2020	18/03/2020	18/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020
		Sample Method	No sample - dry	Grab Sample	Grab Sample	No sample - dry	Grab Sample	Grab Sample	Grab Sample	Grab Sample
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01		< 0.01	< 0.01		< 0.01	< 0.01	< 0.01	< 0.01
Ammonia	mg/L	0.01		0.02	0.02		< 0.01	0.12	< 0.01	0.03
Arsenic	mg/L	0.001		0.001	0.002		0.002	0.005	0.004	0.004
Barium	mg/L	0.001		0.561	0.073		0.024	0.106	0.062	0.022
Beryllium	mg/L	0.001		< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	< 0.001
Bicarbonate	mg/L	1		459	122		697	607	1450	850
Boron	mg/L	0.05		0.14	0.1		0.24	0.25	0.28	0.3
Bromide	mg/L	0.01		0.625	0.321		0.287	0.139	1.09	0.553
Cadmium	mg/L	0.0001		< 0.0001	< 0.0001		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Calcium	mg/L	1		20	2		2	6	4	2
Carbonate	mg/L	1		< 1	< 1		< 1	13	39	32
Chloride	mg/L	1		468	253		139	58	573	274
Chromium	mg/L	0.001		< 0.001	< 0.001		0.002	< 0.001	< 0.001	< 0.001
Cobalt	mg/L	0.001		< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	< 0.001
Copper	mg/L	0.001		< 0.001	< 0.001		< 0.001	< 0.001	0.004	< 0.001
Dissolved Oxygen	mg/L	-		0.63	1		1.81	0.96	0.71	0.76
Electrical Conductivity	µS/cm	-		2167	1012		1600	1273	4024	2582
Fluoride	mg/L	0.1		0.4	0.2		0.7	0.8	0.7	1
Iron	mg/L	0.05		0.17	0.53		< 0.05	< 0.05	< 0.05	< 0.05
Lead	mg/L	0.001		< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	< 0.001
Magnesium	mg/L	1		25	4		< 1	2	2	< 1
Manganese	mg/L	0.001		0.047	0.005		< 0.001	0.109	0.007	< 0.001
Mercury	mg/L	0.0001		< 0.0001	< 0.0001		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Methane	mg/L	0.01		< 0.01	0.018		< 0.01	0.072	< 0.01	< 0.01
Molybdenum	mg/L	0.001		0.003	< 0.001		< 0.001	< 0.001	0.002	0.001
Nickel	mg/L	0.001		0.002	0.002		< 0.001	< 0.001	< 0.001	< 0.001
Nitrate	mg/L	0.01		< 0.01	< 0.01		0.1	0.02	0.02	0.11
Nitrite	mg/L	0.01		< 0.01	< 0.01		< 0.01	< 0.01	< 0.01	< 0.01
pH	pH Unit	-		7.35	6.18		7.6	7.67	7.56	7.73
Potassium	mg/L	1		26	9		4	3	9	6
Reactive Phosphorus	mg/L	0.01		0.11	0.11		0.43	0.08	0.61	0.59
Redox Potential	mV	-		92.3	52		108	84	96	99
Selenium	mg/L	0.01		< 0.01	< 0.01		< 0.01	< 0.01	< 0.01	< 0.01
Sodium	mg/L	1		376	180		347	292	903	592
Standing Water Level	mTOC	-		25.98	21.1		16.47	16.22	15.5	16.28
Strontium	mg/L	0.001		0.266	0.025		0.031	0.06	0.081	0.035
Sulfate	mg/L	1		17	7		< 1	< 1	3	29
Total Dissolved Solids	mg/L	10		1160	585		1000	830	2240	1720
Uranium	mg/L	0.001		0.002	< 0.001		< 0.001	< 0.001	0.003	0.001
Vanadium	mg/L	0.01		< 0.01	< 0.01		< 0.01	< 0.01	0.01	0.01
Zinc	mg/L	0.005		< 0.005	< 0.005		< 0.005	< 0.005	< 0.005	< 0.005

		EPA Identification No	55	56	57	58	59	60	61	62
		Location	WPKMW8	WPKMW9D	WPKMW9S	WPKMW12S	WPKMW13I	WPKMW13S	WPKMW14D	WPKMW14S
		Date	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020
		Sample Method	Grab Sample	Grab Sample	Grab Sample	No sample - dry	Grab Sample	Grab Sample	Grab Sample	No sample - dry
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01	< 0.01	< 0.01	< 0.01		0.03	< 0.01	< 0.01	
Ammonia	mg/L	0.01	< 0.01	0.06	0.05		0.02	< 0.01	0.06	
Arsenic	mg/L	0.001	0.002	0.004	0.002		0.002	0.002	0.002	
Barium	mg/L	0.001	0.032	0.096	0.183		0.04	0.106	0.314	
Beryllium	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	
Bicarbonate	mg/L	1	971	593	1410		646	1050	580	
Boron	mg/L	0.05	0.29	0.22	0.41		0.23	0.35	0.2	
Bromide	mg/L	0.01	0.649	0.148	0.985		0.18	1.13	0.145	
Cadmium	mg/L	0.0001	< 0.0001	< 0.0001	< 0.0001		< 0.0001	< 0.0001	< 0.0001	
Calcium	mg/L	1	3	4	7		3	4	6	
Carbonate	mg/L	1	< 1	< 1	32		12	< 1	3	
Chloride	mg/L	1	335	57	460		70	512	58	
Chromium	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001	0.002	< 0.001	
Cobalt	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	
Copper	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	
Dissolved Oxygen	mg/L	-	1.6	1.15	0.3		0.46	0.8	0.6	
Electrical Conductivity	µS/cm	-	2632	1285	4648		1384	3598	1258	
Fluoride	mg/L	0.1	0.6	0.9	0.8		0.8	0.6	0.7	
Iron	mg/L	0.05	< 0.05	< 0.05	< 0.05		< 0.05	< 0.05	< 0.05	
Lead	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001	< 0.001	< 0.001	
Magnesium	mg/L	1	1	< 1	3		< 1	2	1	
Manganese	mg/L	0.001	< 0.001	0.158	0.036		0.012	0.015	0.03	
Mercury	mg/L	0.0001	< 0.0001	< 0.0001	< 0.0001		< 0.0001	< 0.0001	< 0.0001	
Methane	mg/L	0.01	< 0.01	0.095	< 0.01		< 0.01	< 0.01	< 0.01	
Molybdenum	mg/L	0.001	0.001	< 0.001	0.004		< 0.001	0.002	< 0.001	
Nickel	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001	0.001	< 0.001	
Nitrate	mg/L	0.01	0.16	< 0.01	0.7		0.15	0.02	< 0.01	
Nitrite	mg/L	0.01	< 0.01	< 0.01	< 0.01		< 0.01	< 0.01	< 0.01	
pH	pH Unit	-	7.57	7.87	7.54		7.88	7.46	7.42	
Potassium	mg/L	1	8	4	11		4	10	5	
Reactive Phosphorus	mg/L	0.01	0.34	0.25	0.34		0.16	0.27	0.21	
Redox Potential	mV	-	98	23	66		72	99	101	
Selenium	mg/L	0.01	< 0.01	< 0.01	< 0.01		< 0.01	< 0.01	< 0.01	
Sodium	mg/L	1	591	287	1150		313	834	286	
Standing Water Level	mTOC	-	16.87	15.76	15.96		17.03	17.1	20.98	
Strontium	mg/L	0.001	0.042	0.056	0.105		0.02	0.049	0.042	
Sulfate	mg/L	1	2	< 1	154		< 10*	< 1	< 1	
Total Dissolved Solids	mg/L	10	1480	686	2380		951	2060	784	
Uranium	mg/L	0.001	0.001	< 0.001	0.003		< 0.001	0.001	< 0.001	
Vanadium	mg/L	0.01	< 0.01	< 0.01	< 0.01		< 0.01	< 0.01	< 0.01	
Zinc	mg/L	0.005	< 0.005	< 0.005	< 0.005		< 0.005	< 0.005	< 0.005	

*Limit of reporting raised due to sample matrix as per Australian Laboratory Services (ALS) certificate of analysis (COA).

		EPA Identification No	63	64	65	66	67	68	78	79
		Location	WPKMW15D	WPKMW15S	WPKMW16D	WPKMW16S	WPKMW17D	WPKMW17S	WPKMW18S	WPKMW18I
		Date	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020	24/03/2020
		Sample Method	Grab Sample	Grab Sample	Grab Sample	No sample - dry	Grab Sample	No sample - insufficient liquid	No sample - insufficient liquid	Grab Sample
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01	< 0.01	< 0.01	0.03		< 0.01			< 0.01
Ammonia	mg/L	0.01	0.05	< 0.01	0.03		0.06			< 0.01
Arsenic	mg/L	0.001	0.003	0.004	0.002		0.002			0.002
Barium	mg/L	0.001	0.358	2.61	0.202		0.131			0.087
Beryllium	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001			< 0.001
Bicarbonate	mg/L	1	673	3800	616		540			518
Boron	mg/L	0.05	0.16	0.72	0.08		< 0.05			0.2
Bromide	mg/L	0.01	0.152	2.38	0.159		0.145			0.125
Cadmium	mg/L	0.0001	< 0.0001	< 0.0001	< 0.0001		< 0.0001			< 0.0001
Calcium	mg/L	1	6	6	6		3			1
Carbonate	mg/L	1	< 1	< 1	10		< 1			12
Chloride	mg/L	1	60	1090	67		59			56
Chromium	mg/L	0.001	< 0.001	0.012	< 0.001		< 0.001			< 0.001
Cobalt	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001			< 0.001
Copper	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001			< 0.001
Dissolved Oxygen	mg/L	-	1.3	2.95	0.3		0.31			0.44
Electrical Conductivity	µS/cm	-	1386	9350	1329		1196			1249
Fluoride	mg/L	0.1	0.5	1	0.5		0.8			0.6
Iron	mg/L	0.05	0.12	< 0.05	< 0.05		< 0.05			< 0.05
Lead	mg/L	0.001	< 0.001	< 0.001	< 0.001		< 0.001			< 0.001
Magnesium	mg/L	1	2	13	2		< 1			< 1
Manganese	mg/L	0.001	0.073	< 0.001	0.041		0.037			0.002
Mercury	mg/L	0.0001	< 0.0001	< 0.0001	< 0.0001		< 0.0001			< 0.0001
Methane	mg/L	0.01	0.209	< 0.01	0.011		< 0.01			< 0.01
Molybdenum	mg/L	0.001	0.009	0.007	0.004		0.006			0.003
Nickel	mg/L	0.001	0.002	< 0.001	0.002		< 0.001			0.002
Nitrate	mg/L	0.01	< 0.01	0.45	< 0.01		0.02			1.16
Nitrite	mg/L	0.01	< 0.01	0.03	< 0.01		< 0.01			0.02
pH	pH Unit	-	7.88	7.58	7.54		7.35			7.78
Potassium	mg/L	1	8	34	12		7			4
Reactive Phosphorus	mg/L	0.01	0.31	0.59	0.26		0.04			0.28
Redox Potential	mV	-	149	149	120		95			86
Selenium	mg/L	0.01	< 0.01	< 0.01	< 0.01		< 0.01			< 0.01
Sodium	mg/L	1	310	2380	302		270			294
Standing Water Level	mTOC	-	22.33	22.54	26.58		19.06	22.78	16.99	16.46
Strontium	mg/L	0.001	0.052	0.269	0.055		0.02			0.013
Sulfate	mg/L	1	< 1	< 1	< 1		< 1			< 1
Total Dissolved Solids	mg/L	10	958	5880	894		795			768
Uranium	mg/L	0.001	< 0.001	0.004	0.004		0.001			< 0.001
Vanadium	mg/L	0.01	< 0.01	0.01	< 0.01		< 0.01			< 0.01
Zinc	mg/L	0.005	< 0.005	< 0.005	< 0.005		< 0.005			< 0.005

		EPA Identification No	80	81	82
		Location	LWDMW4	LWDMW5	LWDMW6
		Date	Mar-20	Mar-20	Mar-20
		Sample Method	No sample - no irrigation	No sample - no irrigation	No sample - no irrigation
	Units	LOR	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01			
Ammonia	mg/L	0.01			
Arsenic	mg/L	0.001			
Barium	mg/L	0.001			
Beryllium	mg/L	0.001			
Bicarbonate	mg/L	1			
Boron	mg/L	0.05			
Bromide	mg/L	0.01			
Cadmium	mg/L	0.0001			
Calcium	mg/L	1			
Carbonate	mg/L	1			
Chloride	mg/L	1			
Chromium	mg/L	0.001			
Cobalt	mg/L	0.001			
Copper	mg/L	0.001			
Dissolved Oxygen	mg/L	-			
Electrical Conductivity	µS/cm	-			
Fluoride	mg/L	0.1			
Iron	mg/L	0.05			
Lead	mg/L	0.001			
Magnesium	mg/L	1			
Manganese	mg/L	0.001			
Mercury	mg/L	0.0001			
Methane	mg/L	0.01			
Molybdenum	mg/L	0.001			
Nickel	mg/L	0.001			
Nitrate	mg/L	0.01			
Nitrite	mg/L	0.01			
pH	pH Unit	-			
Potassium	mg/L	1			
Reactive Phosphorus	mg/L	0.01			
Redox Potential	mV	-			
Selenium	mg/L	0.01			
Sodium	mg/L	1			
Standing Water Level	mTOC	-			
Strontium	mg/L	0.001			
Sulfate	mg/L	1			
Total Dissolved Solids	mg/L	10			
Uranium	mg/L	0.001			
Vanadium	mg/L	0.01			
Zinc	mg/L	0.005			

TABLE 3: TREATED WATER QUALITY MONITORING

		EPA Identification No	77	77	77
		Location	LWWTPDM1	LWWTPDM1	LWWTPDM1
		Date	Feb-20	Mar-20	Apr-20
		Sample Method	No sample - plant not operating	No sample - plant not operating	No sample - plant not operating
	Units	LOR	RESULT	RESULT	RESULT
Ammonia	mg/L	0.01			
Bicarbonate	mg/L	1			
Boron	mg/L	0.05			
Calcium	mg/L	1			
Carbonate	mg/L	1			
Chloride	mg/L	1			
Electrical Conductivity	µS/cm	-			
Fluoride	mg/L	0.1			
Magnesium	mg/L	1			
Nitrate	mg/L	0.01			
Nitrite	mg/L	0.01			
pH	pH Unit	-			
Potassium	mg/L	1			
Silica	mg/L				
Sodium	mg/L	1			
Sodium Adsorption Ratio	-	0.01			
Sulfate	mg/L	1			
Total Alkalinity (as CaCO3)	mg/L	1			
Total Dissolved Solids	mg/L	10			
Total Hardness (as CaCO3)	mg/L	1			
Total Nitrogen (as N)	mg/L	0.1			
Total Phosphorus (as P)	mg/L	0.01			
Total Residual Chlorine	mg/L				
Turbidity	NTU	0.1			

TABLE 4: PRODUCED WATER STORAGE QUALITY MONITORING

		EPA Identification No	69	70	71	72	73	74	75	76
		Location	BWDPD2	BWDPD3	LWDPD1CELL4	LWDPD1CELL3	LWDPD1CELL2	LWDPD1CELL1	TFDPD1	TFDPD2
		Date	Mar-20	Mar-20	17/03/2020	17/03/2020	17/03/2020	17/03/2020	30/03/2020	30/03/2020
		Sample Method	No produced water	No produced water	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	No produced water
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/L	0.01			< 0.10	< 0.10	< 0.10	< 0.10	0.14	
Ammonia	mg/L	0.01			< 0.10	0.4	< 0.10	< 0.10	0.11	
Arsenic	mg/L	0.001			0.015	< 0.010	0.011	< 0.010	0.003	
Barium	mg/L	0.001			0.693	0.429	7.38	1.98	0.941	
Beryllium	mg/L	0.001			< 0.010	< 0.010	< 0.010	< 0.010	< 0.001	
Bicarbonate	mg/L	1			13400	7600	11200	8530	142	
Boron	mg/L	0.05			5.01	1.65	3.29	2.14	0.17	
Bromide	mg/L	0.01			26.5	3.9	11.5	12.6	2.81	
Cadmium	mg/L	0.0001			0.0018	< 0.0010	< 0.0010	< 0.0010	< 0.0001	
Calcium	mg/L	1			9	3	12	4	4	
Carbonate	mg/L	1			46700	10200	26400	15400	3590	
Chloride	mg/L	1			12400	2710	6280	4780	1080	
Chromium	mg/L	0.001			0.014	< 0.010	< 0.010	< 0.010	< 0.001	
Cobalt	mg/L	0.001			< 0.010	< 0.010	< 0.010	< 0.010	< 0.001	
Copper	mg/L	0.001			< 0.010	< 0.010	< 0.010	< 0.010	0.002	
Dissolved Oxygen	mg/L	-			4.1	5.2	7.9	6.56	7.17	
Electrical Conductivity	µS/cm	-			82894	33687	61909	45352	10807	
Iron	mg/L	0.05			< 0.10	< 0.10	0.11	< 0.10	< 0.05	
Lead	mg/L	0.001			< 0.010	< 0.010	< 0.010	< 0.010	< 0.001	
Magnesium	mg/L	1			25	6	20	5	< 1	
Manganese	mg/L	0.001			0.026	< 0.010	0.044	< 0.010	0.006	
Mercury	mg/L	0.0001			< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	
Molybdenum	mg/L	0.001			0.02	< 0.010	< 0.010	0.017	0.002	
Nickel	mg/L	0.001			< 0.010	< 0.010	< 0.010	< 0.010	0.001	
Nitrate	mg/L	0.01			0.95	0.27	0.1	< 0.1*	0.04	
Nitrite	mg/L	0.01			< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
pH	pH Unit	-			9.63	9.38	9.54	9.46	10.19	
Potassium	mg/L	1			758	94	294	316	34	
Redox Potential	mV	-			75	66	68	77	71.3	
Selenium	mg/L	0.01			< 0.10	< 0.10	< 0.10	< 0.10	< 0.01	
Sodium	mg/L	1			33500	11200	23700	15400	2460	
Sodium Adsorption Ratio	-	0.01			1300	859	973	1210	308	
Strontium	mg/L	0.001			1.35	0.524	2.52	0.594	0.383	
Sulfate	mg/L	1			699*	10	230	172	< 50	
Total Dissolved Solids	mg/L	10			94300	27600	59600	37600	5820	
Total Organic Carbon (Storages)	mg/L	1			6990	820	6500	4600	56	
Total Phosphorus (as P)	mg/L	0.01			4.01*	< 0.05	1.64*	0.88*	0.36	
Uranium	mg/L	0.001			< 0.010	< 0.010	< 0.010	< 0.010	< 0.001	
Vanadium	mg/L	0.01			< 0.10	< 0.10	< 0.10	< 0.10	< 0.01	
Zinc	mg/L	0.005			< 0.050	< 0.050	< 0.050	< 0.050	< 0.005	

*Limit of reporting raised due to sample matrix as per Australian Laboratory Services (ALS) certificate of analysis (COA).

TABLE 5: SOIL QUALITY MONITORING

		EPA Identification No	83	83	83	83	83	83
		Location	LWDSMP1	LWDSMP1	LWDSMP1	LWDSMP1	LWDSMP1	LWDSMP1
		Depth (mm)	0-250	250-500	500-750	750-1000	1000-2000	2000-3000
		Date	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020
		Sample Method	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/kg	0.01						
Boron	mg/kg	0.05						
Calcium	mg/kg	1						
Cation Exchange Capacity (CEC)	cmol(+)/kg							
Chloride	mg/kg	1						
Copper	mg/kg	0.001						
Electrical Conductivity	µS/cm	-						
Hydraulic Conductivity	m/sec ¹							
Iron	mg/kg	0.05						
Magnesium	mg/kg	1						
Manganese	mg/kg	0.001						
Nitrogen (nitrate)	mg/kg							
Organic Carbon	%							
pH	pH Unit	-						
Phosphorus	mg/kg							
Phosphorus (Available)	mg/kg							
Potassium	mg/kg	1						
Sodium	mg/kg	0.01						
Sodium Adsorption Ratio	-	0.01						
Sodium (Exchangeable Percentage)	%							
Sulfate	mg/kg	1						
Zinc	mg/kg	0.005						

		EPA Identification No	84	84	84	84	84	84
		Location	LWDSMP2	LWDSMP2	LWDSMP2	LWDSMP2	LWDSMP2	LWDSMP2
		Depth (mm)	0-250	250-500	500-750	750-1000	1000-2000	2000-3000
		Date	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020
		Sample Method	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/kg	0.01						
Boron	mg/kg	0.05						
Calcium	mg/kg	1						
Cation Exchange Capacity (CEC)	cmol(+)/kg							
Chloride	mg/kg	1						
Copper	mg/kg	0.001						
Electrical Conductivity	µS/cm	-						
Hydraulic Conductivity	m/sec ⁻¹							
Iron	mg/kg	0.05						
Magnesium	mg/kg	1						
Manganese	mg/kg	0.001						
Nitrogen (nitrate)	mg/kg							
Organic Carbon	%							
pH	pH Unit	-						
Phosphorus	mg/kg							
Phosphorus (Available)	mg/kg							
Potassium	mg/kg	1						
Sodium	mg/kg	0.01						
Sodium Adsorption Ratio	-	0.01						
Sodium (Exchangeable Percentage)	%							
Sulfate	mg/kg	1						
Zinc	mg/kg	0.005						

		EPA Identification No	85	85	85	85	85	85
		Location	LWDSMP3	LWDSMP3	LWDSMP3	LWDSMP3	LWDSMP3	LWDSMP3
		Depth (mm)	0-250	250-500	500-750	750-1000	1000-2000	2000-3000
		Date	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020
		Sample Method	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/kg	0.01						
Boron	mg/kg	0.05						
Calcium	mg/kg	1						
Cation Exchange Capacity (CEC)	cmol(+)/kg							
Chloride	mg/kg	1						
Copper	mg/kg	0.001						
Electrical Conductivity	µS/cm	-						
Hydraulic Conductivity	m/sec ⁻¹							
Iron	mg/kg	0.05						
Magnesium	mg/kg	1						
Manganese	mg/kg	0.001						
Nitrogen (nitrate)	mg/kg							
Organic Carbon	%							
pH	pH Unit	-						
Phosphorus	mg/kg							
Phosphorus (Available)	mg/kg							
Potassium	mg/kg	1						
Sodium	mg/kg	0.01						
Sodium Adsorption Ratio	-	0.01						
Sodium (Exchangeable Percentage)	%							
Sulfate	mg/kg	1						
Zinc	mg/kg	0.005						

		EPA Identification No	86	86	86	86	86	86
		Location	LWDSMP4	LWDSMP4	LWDSMP4	LWDSMP4	LWDSMP4	LWDSMP4
		Depth (mm)	0-250	250-500	500-750	750-1000	1000-2000	2000-3000
		Date	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020	February - April 2020
		Sample Method	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period	Not required within reported period
	Units	LOR	RESULT	RESULT	RESULT	RESULT	RESULT	RESULT
Aluminium	mg/kg	0.01						
Boron	mg/kg	0.05						
Calcium	mg/kg	1						
Cation Exchange Capacity (CEC)	cmol(+)/kg							
Chloride	mg/kg	1						
Copper	mg/kg	0.001						
Electrical Conductivity	µS/cm	-						
Hydraulic Conductivity	m/sec ¹							
Iron	mg/kg	0.05						
Magnesium	mg/kg	1						
Manganese	mg/kg	0.001						
Nitrogen (nitrate)	mg/kg							
Organic Carbon	%							
pH	pH Unit	-						
Phosphorus	mg/kg							
Phosphorus (Available)	mg/kg							
Potassium	mg/kg	1						
Sodium	mg/kg	0.01						
Sodium Adsorption Ratio	-	0.01						
Sodium (Exchangeable Percentage)	%							
Sulfate	mg/kg	1						
Zinc	mg/kg	0.005						

TABLE 6: GROUNDWATER LEVEL MONITORING

EPA Identification No	44	45	46	47	48	49
Location	Dewhurst 8A-1	Dewhurst 8A-2	Dewhurst 8A-3	Biblewindi 28A	Biblewindi 28B	Biblewindi 28C
	(DWH8AQGDGY01)	(DWH8AQGARK)	(DWH8AQGPOR03)	(BWD28QGUPS01)	(BWD28QGLPS01)	(BWD28QGPUR01)
Start Date	1/02/2020	1/02/2020	1/02/2020	1/02/2020	1/02/2020	1/02/2020
End Date	30/04/2020	30/04/2020	30/04/2020	30/04/2020	30/04/2020	30/04/2020
Sample Obtained	Standing Water Level	Standing Water Level	Standing Water Level	Standing Water Level	Standing Water Level	Standing Water Level
Number of Samples Required	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous
Lowest sample value	-35.8	16.8	-68.1	11.7	2.4	14.7
Mean of sample	-35.75	16.89	-67.92	13.73	3.09	14.84
Highest sample value	-35.7	16.9	-67.8	15.3	3.5	15.1